

	L #	Hits	Search Text	DBs
1	L1	61	vector near20 ((start\$3 begin\$4 top head) adj5 (register scalar)) near99 (end\$3 length last wrap\$6 bound\$3 circula\$4 recircula\$4)	US-PGPUB; USPAT
2	L2	21	circular\$3 near10 register near10 vector	US-PGPUB; USPAT
3	L3	584	circular\$3 near10 (select\$3 address\$3 element) near10 vector	US-PGPUB; USPAT
4	L4	385335	(7??).CLAS.	US-PGPUB; USPAT
5	L5	62	L3 and L4	US-PGPUB; USPAT
6	L6	268	vector near20 ((start\$3 begin\$4 top head) adj5 (register scalar))	US-PGPUB; USPAT
7	L7	215	L4 and L6 not (L2 L5)	US-PGPUB; USPAT
8	L8	149	vector adj1 (register element) near20 ((circula\$4 recircula\$4 scalar) adj1 (registers buffer))	US-PGPUB; USPAT
9	L9	41	vector adj1 (register element) near20 ((circula\$4 recircula\$4 scalar) adj1 (registers buffer))	USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	15	vector near20 ((start\$3 begin\$4 top head) adj5 (register scalar)) near99 (end\$3 length last wrap\$6 bound\$3 circula\$4 recircula\$4)	USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	16	vector near20 ((start\$3 begin\$4 top head) near10 (element address scalar)) near20 register near99 (length end last wrap\$4 circular\$3 return\$3)	USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	4	circular\$3 near10 register near10 vector	USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	57	circular\$3 near10 (select\$3 address\$3 element) near10 vector	USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L14	90	vector near20 ((start\$3 begin\$4 top head) near10 (element address scalar)) near20 register	USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L15	87	L14 not (L12 L13)	USOCR; EPO; JPO; DERWENT; IBM_TDB